Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.





The 1848-1947 HOYT NURSERIES NEW CANAAN, CONN.

Telephone: 9-1633



Introduction ____

Established Almost 100 Years



N 1848, just 99 years ago this spring, Stephen Hoyt, grandfather of our present president, founded this Nursery.

From a modest beginning our business grew until we now have over 600 acres covered with specimen trees and plants of all descriptions. We have always attempted to grow trees of the finest quality, priced fairly.


We wish to thank our thousands of friends for the liberal and ever-increasing patronage which has been bestowed upon us, and we aim to offer still finer trees and better service in the years to come.

The STEPHEN HOYT'S SONS CO.

INCORPORATED

New Canaan . Connecticut

Telephone: 9-1633



NOTICE TO CUSTOMERS

- ◀ This catalog lists our trees and shrubs, but to really appreciate them you should see them. Come over to the nursery and look around. The map on the center pages shows the way.
- **▼ OUR MATERIALS** and service are available to you directly or through your Landscape Architect.
- ◀ PLANTING begins in the spring as soon as frost is out of the ground and extends through April, May and June. Fall planting begins in August and extends through December, or until the ground freezes. When the season is far advanced, we reserve the right to ball and burlap (B&B) at extra charge, those items not so listed, to insure success in transplanting. The following chart is our basis for these charges:

Schedule for Balling and Burlapping (B&B) Charges


Size of Plant	Charge	Size of Plant	Charge
or Tree		or Tree	
$1\frac{1}{2}$ to 2 ft. high	\$0 50	2 to $2\frac{1}{2}$ -in. caliper.	\$5 00
2 to 3 ft. high	60	$2\frac{1}{2}$ to 3-in. caliper.	6 00
3 to 4 ft. high	75	3 to $3\frac{1}{2}$ -in. caliper.	7 50
4 to 5 ft. high	90	$3\frac{1}{2}$ to 4 -in. caliper.	10 00
5 to 6 ft. high	1 50	4 to $4\frac{1}{2}$ -in. caliper.	
6 to 8 ft. high			

The above prices apply to those items in our catalog which are not priced Balled & Burlapped (B&B), when balling is necessary or requested.

- ◀ PRICES in this list are f.o.b. New Canaan, Conn., and are for our selection only. Specimen plants, many of which are not included in this list, when selected by you, will be charged for according to their individual value. All quotations offered are subject to prior sale. These prices supersede all others and are subject to change without notice.
- **▼ DELIVERIES** pro rated charge on scheduled trips. Special deliveries conflicting with normal schedule will be arranged and charged for at cost.
- ◀ TERMS—Cash or satisfactory references must accompany all orders, unless the person ordering is known to us.

GUARANTEE

We guarantee to replace, at one-half original purchase price, any plant or tree that we have supplied, which dies from natural causes within a period of one year (except those items marked with a star), provided the plants have been properly cared for, and provided payment has been received in 30 days or as arranged. The cost of delivering and planting of replaced material is borne by the purchaser and replacement is made at our convenience.



Norway Maple (Acer platanoides)

Possibly the most attractive feature of many of our New England towns is the large shade and ornamental trees. It is absolutely necessary to include deciduous trees in your home and street plantings, since no others equal them in foliage and growing characteristics.


It is important to plant some of these trees each year, since it takes from ten to twenty-five years to produce a good-sized specimen. Plant medium-sized trees and they will grow rapidly into lofty specimens.

ACER palmatum atropurpureum. Japanese Red Maple.	Each
2 to 3 ft., B&B	\$9 00
3 to 4 ft., B&B	12 50
4 to 5 ft., B&B	15 00
5 to 6 ft., B&B	20 00
5 to 6 ft., heavy specimen, B&B	30 00
6 to 7 ft., specimen, B&B	27 50
6 to 7 ft., heavy specimen, B&B	40 00
7 to 8 ft., specimen, B&B	35 00
7 to 8 ft., heavy specimen, B&B	50 00
A. platanoides. Norway Maple.	
$1\frac{1}{2}$ to 2-in. cal., 8 to 10 ft. high	10 00
$2 \text{ to } 2\frac{1}{2}$ -in. cal., 10 to 12 ft. high	12 50
$2\frac{1}{2}$ to 3 -in. cal., 12 to 14 ft. high	15 00
3 to 3½-in. cal., 14 to 16 ft. high	20 00
$5 \text{ to } 5\frac{1}{2}$ -in. cal., 20 to 25 ft. high, specimen, B&B	75 00
$5\frac{1}{2}$ to 6-in. cal., 22 to 27 ft. high, specimen, B&B	85 00
$6 \text{ to } 6\frac{1}{2}$ -in. cal., 22 to 30 ft. high, specimen, B&B	100 00
Larger sizes on application.	

	-	
Acer platanoides schwedleri. Schwedler Maple.		
1 to 1½-in. cal., 8 to 10 ft. high	.\$10	00
$1\frac{1}{2}$ to 2-in. cal., 8 to 10 ft. high	115	00 00
A. pseudoplatanus purpureum. Purple-leaf Sycamore	Mapl	le.
$2 \text{ to } 2\frac{1}{2}$ -in. cal., 8 to 12 ft. high		
$2\frac{1}{2}$ to 3-in. cal., 10 to 12 ft. high	. 20	00
A. rubrum. Red or Scarlet Maple.		
$2\frac{1}{2}$ to 3-in. cal., 12 to 14 ft. high	. 15	
3 to 3½-in. cal., 14 to 16 ft. high	. 20	
3½ to 4-in. cal., 16 to 18 ft. high		
4 to 4½-in. cal., 16 to 20 ft. high		
$4\frac{1}{2}$ to 5-in. cal., 18 to 22 ft. high	. 50	00
A. saccharum. Sugar or Rock Maple.		
$2\frac{1}{2}$ to 3-in. cal., 16 to 18 ft. high	. 17	
3 to 3½-in. cal., 18 to 20 ft. high	. 22	
3½ to 4-in. cal., 20 to 22 ft. high	. 30	
4 to $4\frac{1}{2}$ -in. cal., 22 to 25 ft. high	. 40	00
Larger sizes on application.		
BETULA alba laciniata. Cut-leaf Weeping Birch.		
$1\frac{1}{2}$ to 2-in. cal., 10 to 15 ft. high	. 15	00
2 to 2½-in. cal., 12 to 18 ft. high	20	
2½ to 3-in. cal., 15 to 22 ft. high	$\frac{1}{25}$	00
Larger sizes on application.		
B. papyrifera. Canoe Birch.		
6 to 8 ft	. 7	50
8 to 10 ft		
10 to 12 ft		-
Larger sizes on application.	. 10	
B. pendula sargenti. Sargent's Weeping Birch. 5 to 6 ft., B&B	. 15	00
6 to 7 ft., B&B	$\stackrel{10}{.}$ 20	
7 to 8 ft., B&B		

CERCIDIPHYLLUM japonicum. Katsura-Tree.		
10 to 12 ft., specimen, B&B	. 18	
12 to 14 ft., specimen, B&B	. 25	00
Larger sizes on application.		


Block of European Green Beech (Fagus sylvatica)



FAGUS sylvatica. European Green Beech.		
F. sylvatica atropurpurea. Copper Beech.		
Prices of European Green and Copper Beech	Ea	ch
$1\frac{1}{2}$ to 2-in. cal., 6 to 8 ft. high	\$12	50
2 to 2½-in. cal., 8 to 10 ft. high		
$2\frac{1}{2}$ to 3-in. cal., 10 to 12 ft. high		50
3 to 3½-in. cal., 12 to 15 ft. high, B&B	35	
3½ to 4-in. cal., 15 to 18 ft. high, B&B	45	
4 to 4½-in. cal., 15 to 20 ft. high, B&B	60	
4½ to 5-in. cal., 18 to 20 ft. high, B&B		00
6 to $6\frac{1}{2}$ -in. cal., 18 to 25 ft. high, specimen, B&B $6\frac{1}{2}$ to 7-in. cal., 18 to 25 ft. high, specimen, B&B		00
7 to $7\frac{1}{2}$ -in. cal., 20 to 30 ft. high, specimen, B&B		00
$7\frac{1}{2}$ to 8-in. cal., 20 to 30 ft. high, specimen, B&B	200	
8 to $8\frac{1}{2}$ -in. cal., 20 to 30 ft. high, specimen, B&B	225	00
Larger sizes on application.	220	00
F. sylvatica heterophylla. Fern-leaf Beech.		
6 to 8 ft., B&B	22	50
8 to 10 ft., B&B	30	
F. sylvatica pendula. Weeping Green Beech.	00	
1½ to 2-in. cal., 8 to 10 ft. high	20	00
2 to 2½-in. cal., 10 to 12 ft. high		
2½ to 3-in. cal., 12 to 18 ft. high		
3 to 3½-in. cal., 15 to 18 ft. high, B&B	45	
$3\frac{1}{2}$ to 4 -in. cal., 15 to 22 ft. high, B&B		00
Larger sizes on application.		
LIQUIDAMBAR styraciflua. Gum Tree.		
6 to 8 ft	6.	00
8 to 10 ft	8	00
10 to 12 ft	10	00
$3 \text{ to } 3\frac{1}{2}$ -in. cal., 12 to 15 ft. high, specimen, B&B	30	
3½ to 4-in. cal., 14 to 18 ft. high, specimen, B&B	40	
$4 \text{ to } 4\frac{1}{2}$ -in. cal., 15 to 20 ft. high, specimen, B&B	50	
$4\frac{1}{2}$ to 5-in. cal., 15 to 20 ft. high, specimen, B&B	65	00
Larger sizes on application.		
MORUS alba tatarica. Russian Mulberry.		
5 to 6 ft		50
6 to 8 ft		00
8 to 10 ft	7	50

Oriental Plane Tree (Platanus orientalis)





Pin Oak (Quercus palustris)

PLATANUS orientalis. Oriental Plane.	Each
$1\frac{1}{2}$ to 2-in. cal., 10 to 12 ft. high	
$2 \text{ to } 2\frac{1}{2}$ -in. cal., $12 \text{ to } 14 \text{ ft. high.}$	
$2\frac{1}{2}$ to 3-in. cal., 14 to 16 ft. high	. 15 00
$3 \text{ to } 3\frac{1}{2}\text{-in. cal.}, 14 \text{ to } 16 \text{ ft. high.}$. 20 00
$3\frac{1}{2}$ to 4 -in. cal., 15 to 18 ft. high	. 30 00
4 to $4\frac{1}{2}$ -in. cal., 15 to 20 ft. high	. 35 00
$4\frac{1}{2}$ to 5-in. cal., 18 to 22 ft. high, B&B	
5 to 5½-in. cal., 18 to 22 ft. high, B&B	. 85 00
QUERCUS palustris. Pin Oak.	
1 to $1\frac{1}{2}$ -in. cal., 6 to 8 ft. high	
$1\frac{1}{2}$ to 2-in. cal., 6 to 10 ft. high	
$2 \text{ to } 2\frac{1}{2}$ -in. cal., 6 to 10 ft. high	. 12 50
$3\frac{1}{2}$ to 4-in. cal., 18 to 20 ft. high, specimen, B&B.	. 45 00
4 to 4½-in. cal., 20 to 22 ft. high, specimen, B&B.	
$4\frac{1}{2}$ to 5-in. cal., 20 to 22 ft. high, specimen, B&B.	
5 to 5½-in. cal., 20 to 25 ft. high, specimen, B&B.	. 90 00
5½ to 6-in. cal., 20 to 25 ft. high, specimen, B&B.	. 115 00
6 to 6½-in. cal., 20 to 25 ft. high, specimen, B&B.	. 130 00
6½ to 7-in. cal., 22 to 25 ft. high, specimen, B&B	
7 to $7\frac{1}{2}$ -in. cal., 22 to 30 ft. high, specimen, B&B.	. 175 00
Larger sizes on application.	
Q. rubra. Red Oak.	
1 to $1\frac{1}{2}$ -in. cal., 10 to 12 ft. high	. 12 50
$1\frac{1}{2}$ to 2-in. cal., 10 to 14 ft. high	. 15 00
2 to 2½-in. cal., 12 to 16 ft. high, B&B	. 25 00
$2\frac{1}{2}$ to 3-in. cal., 12 to 16 ft. high, B&B	. 30 00
3 to 3½-in. cal., 12 to 18 ft. high, B&B	. 40 00
$3\frac{1}{2}$ to 4-in. cal., 12 to 18 ft. high, B&B	. 50 00
4 to 4½-in. cal., 14 to 18 ft. high, B&B	
$4\frac{1}{2}$ to 5-in. cal., 14 to 18 ft. high, B&B	. 85 00
SALIX elegantissima. Thurlow Weeping Willow.	
8 to 10 ft	
1 to $1\frac{1}{2}$ -in. cal., 12 to 14 ft. high	. 7 50
1½ to 2-in, cal., 12 to 16 ft. high	. 10 00
2 to 2½-in, cal., 14 to 18 ft. high, B&B	. 20 00
$2\frac{1}{2}$ to 3-in. cal., 14 to 18 ft. high, B&B	. 25 00
3 to 3½-in. cal., 16 to 20 ft. high, B&B	. 30 00
$3\frac{1}{2}$ to 4 -in. cal., 16 to 20 ft. high, B&B	. 45 00
Larger sizes on application.	

Salix vitellina pendula. Golden Weeping Willow. 5 to 6 ft		ach 50
5 to 6 ft., B&B	. 5	
6 to 8 ft. 1 to 1½-in. cal., 8 to 10 ft. high.	10	00
1½ to 2-in. cal., 8 to 12 ft. high	15	00
SORBUS aucuparia. Mountain-Ash.	10	00
6 to 8 ft	15	00
2½ to 3-in. cal., 10 to 12 ft. high	$\frac{20}{25}$	00
S. aucuparia quercifolia. Oak-leaf Mountain-Ash.	20	00
2½ to 3-in. cal., 10 to 12 ft. high	$\begin{array}{c} 20 \\ 25 \end{array}$	00
TILIA cordata. European Small-leaved Linden.	20	00
3½ to 4-in. cal., 14 to 16 ft. high, B&B		00
4½ to 5-in. cal., 14 to 18 ft. high, B&B	50 60	
5½ to 6-in. cal., 14 to 18 ft. high, B&B	75	00
6 to 6½-in. cal., 14 to 18 ft. high, B&B T. platyphyllos pyramidalis. <i>Pyramidal Linden</i> .	90	00
1 to 1½-in. cal., 8 to 10 ft. high	7	50
1½ to 2-in. cal., 8 to 10 ft. high	10	00
ULMUS americana. American Elm. 2 to 2½-in. cal., 10 to 12 ft. high	10	00
$2\frac{1}{2}$ to 3-in. cal., 12 to 15 ft. high	15	00
3 to 3½-in. cal., 15 to 18 ft. high	$\frac{20}{25}$	00
5½ to 6-in. cal., 22 to 25 ft. high, B&B	125	00
6 to 6½-in. cal., 25 to 30 ft. high, B&B	$\frac{150}{175}$	00
7 to 7½-in. cal., 25 to 35 ft. high, B&B	200 225	00
8 to 8½-in. cal., 25 to 35 ft. high, B&B		
U. americana. Klehm's American Elm. 1 to 1½-in. cal., 10 to 12 ft. high	7	50
$1\frac{1}{2}$ to 2-in. cal., 10 to 14 ft. high	10	00
2 to 2½-in. cal., 12 to 15 ft. high	12 15	
3 to 3½-in. cal., 14 to 18 ft. high	20	00
3½ to 4-in. cal., 14 to 18 ft. high	$\frac{25}{35}$	
Larger sizes on application.		
U. americana. Moline Type Elm. $5 \text{ to } 5\frac{1}{2}\text{-in. cal.}$, $22 \text{ to } 25 \text{ ft. high, } B\&B$	100	00
5½ to 6-in. cal., 22 to 25 ft. high, B&B	125 150	00
$6\frac{1}{2}$ to 7-in. cal., 25 to 35 ft. high, B&B	175	00
7 to 7½-in. cal., 25 to 35 ft. high, B&B\$200 a. U. americana. Klehm's Moline Type Elm.	and	up
$1\frac{1}{2}$ to 2-in. cal., 10 to 15 ft. high		50
2 to 2½-in. cal., 12 to 18 ft. high	$\frac{10}{15}$	
3 to 3½-in. cal., 14 to 20 ft. high	20	00
U. americana. Klehm's Vase-Shape Elm.	40	00
1 to $1\frac{1}{2}$ -in. cal., 10 to 12 ft. high		00
1½ to 2-in. cal., 10 to 12 ft. high. 2 to 2½-in. cal., 10 to 14 ft. high.	10	
2½ to 3-in. cal., 10 to 16 ft. high	15 20	
$3\frac{1}{2}$ to 4-in. cal., 12 to 18 ft. high	25	
Larger sizes on application.		

There is probably no group of deciduous plants as popular or well known as this one. Their interesting habits of growth, with glossy foliage combined with gorgeous blossoms in the spring, and followed by attractive fruit of many colors in late summer and fall, make them an all-year-round satisfaction. Trees in this group thrive in almost all kinds of soil, and most varieties are very hardy. They flower best in full or partial sunshine.

ÆSCULUS hippocastanum. White Horse-Chestnut.		
$1\frac{1}{2}$ to 2-in. cal., 8 to 10 ft. high		
$2 \text{ to } 2\frac{1}{2}\text{-in. cal.}, 8 \text{ to } 12 \text{ ft. high.} \dots \dots$		
3 to 3½-in. cal., 10 to 12 ft. high	15	00
Larger sizes on application.	10	
A. rubicunda. Pink Horse-Chestnut.		
1 to 1½-in. cal., 7 to 9 ft. high, specimen	7	50
$1\frac{1}{2}$ to 2 -in. cal., 7 to 9 ft. high, specimen		50
3½ to 4-in. cal., 12 to 14 ft. high, specimen, B&B	27	50
4 to 4½-in. cal., 12 to 14 ft. high, specimen, B&B 4½ to 5-in. cal., 12 to 14 ft. high, specimen, B&B	35	
Larger sizes on application.	00	00
CERCIS canadensis. Redbud; Judas-Tree.	20	00
6 to 8 ft., B&B 8 to 10 ft., specimen, B&B	20 25	00
10 to 12 ft., heavy specimen, B&B		
CHIONANTHUS virginica. White Fringe-Tree. 2 to 3 ft	9	00
3 to 4 ft		00
5 to 6 ft., specimen, B&B		00
6 to 7 ft., specimen, B&B	10	00
CORNUS florida. White-flowering Dogwood.		
Regular grade. Stem type.		
3 to 4 ft., B&B	3	00
4 to 5 ft., B&B		00
5 to 6 ft., B&B		00
6 to 8 ft., B&B		50
8 to 10 ft., B&B	12	00
8 to 10 ft., B&B		00
8 to 10 ft., B&B	12 15	00
8 to 10 ft., B&B	12 15 25 30	00 00 00 00
8 to 10 ft., B&B	12 15 25 30 35	00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B.	12 15 25 30 35	00 00 00 00 00
8 to 10 ft., B&B 10 to 12 ft., B&B Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B 3 to 3½-in. cal., 12 to 16 ft. high, B&B 3½ to 4-in. cal., 14 to 18 ft. high, B&B 4 to 4½-in. cal., 16 to 20 ft. high, B&B Specimen grade. Extra heavy. Stem type. Top	12 15 25 30 35	00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft.	12 15 25 30 35 50	00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B.	12 15 25 30 35 50	00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B.	12 15 25 30 35 50 35 45 55	00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½ to 5-in. cal., 12 to 18 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65	00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½-to 5-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B.	12 15 25 30 35 50 35 50 35 45 55 65 85	00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½ to 6-in. cal., 14 to 20 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100	00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½ to 5-in. cal., 12 to 18 ft. high, B&B. 5½-in. cal., 14 to 20 ft. high, B&B. 5½-to 6-in. cal., 14 to 20 ft. high, B&B. 6 to 6½-in. cal., 16 to 22 ft. high, B&B.	12 15 25 30 35 50 35 45 65 85 100 115	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½ to 6-in. cal., 14 to 20 ft. high, B&B.	12 15 25 30 35 50 35 45 65 85 100 115 125	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½ to 6-in. cal., 14 to 20 ft. high, B&B. 6½-in. cal., 16 to 22 ft. high, B&B. 6½-in. cal., 16 to 22 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100 115 125 150	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½ to 5-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½-to 6-in. cal., 14 to 20 ft. high, B&B. 6½-to 7-in. cal., 16 to 22 ft. high, B&B. 6½-to 7-in. cal., 16 to 22 ft. high, B&B. 7½-to 8-in. cal. 18 to 25 ft. high, B&B. 7½-to 8-in. cal. 18 to 25 ft. high, B&B.	12 15 25 30 35 50 35 45 65 85 100 115 125 150	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 4½ to 5-in. cal., 12 to 18 ft. high, B&B. 5½-in. cal., 14 to 20 ft. high, B&B. 5½-in. cal., 14 to 20 ft. high, B&B. 6 to 6½-in. cal., 16 to 22 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B. 7½-to 8-in. cal., 18 to 25 ft. high, B&B. 7½ to 8-in. cal., 18 to 25 ft. high, B&B. Specimen grade. Bush type. 2 to 2½-in. cal., 8 to 10 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100 115 125 150	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½ to 6-in. cal., 14 to 20 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B. 7½ to 8-in. cal., 18 to 25 ft. high, B&B. 7½ to 8-in. cal., 18 to 25 ft. high, B&B. Specimen grade. Bush type. 2 to 2½-in. cal., 8 to 10 ft. high, B&B. 2½ to 3-in. cal., 8 to 12 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100 115 125 175	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4½-in. cal., 12 to 18 ft. high, B&B. 4½-in. cal., 12 to 18 ft. high, B&B. 5½-io. cal., 14 to 20 ft. high, B&B. 5½-to 6-in. cal., 14 to 20 ft. high, B&B. 6½-to 7-in. cal., 16 to 22 ft. high, B&B. 7 to 7½-in. cal., 16 to 22 ft. high, B&B. 7½-to 8-in. cal. 18 to 25 ft. high, B&B. 7½-to 8-in. cal., 8 to 10 ft. high, B&B. 2½-to 3-in. cal., 8 to 12 ft. high, B&B. 3 to 3½-in. cal., 8 to 14 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100 115 125 150 175	00 00 00 00 00 00 00 00 00 00 00 00 00
8 to 10 ft., B&B. 10 to 12 ft., B&B. Specimen grade. Stem type. 2½ to 3-in. cal., 12 to 14 ft. high, B&B. 3 to 3½-in. cal., 12 to 16 ft. high, B&B. 3½ to 4-in. cal., 14 to 18 ft. high, B&B. 4 to 4½-in. cal., 16 to 20 ft. high, B&B. Specimen grade. Extra heavy. Stem type. Top spread 6 to 14 ft. 3 to 3½-in. cal., 10 to 14 ft. high, B&B. 3½ to 4-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 10 to 15 ft. high, B&B. 4 to 4½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 12 to 18 ft. high, B&B. 5 to 5½-in. cal., 14 to 20 ft. high, B&B. 5½ to 6-in. cal., 14 to 20 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B. 6½ to 7-in. cal., 16 to 22 ft. high, B&B. 7½ to 8-in. cal., 18 to 25 ft. high, B&B. 7½ to 8-in. cal., 18 to 25 ft. high, B&B. Specimen grade. Bush type. 2 to 2½-in. cal., 8 to 10 ft. high, B&B. 2½ to 3-in. cal., 8 to 12 ft. high, B&B.	12 15 25 30 35 50 35 45 55 65 85 100 115 125 150 27 30 27 30 30 35 35 35 35 35 35 35 35 35 35 35 35 35	00 00 00 00 00 00 00 00 00 00 00 00 00



Cornus florida (White-flowering Dogwood)

Cornus florida, continued	
Specimen grade. Extra heavy. Bush type. Spread	6
to 14 ft.	Each
4 to $4\frac{1}{2}$ -in. cal., 12 to 18 ft. high, B&B	
$4\frac{1}{2}$ to 5-in. cal., 12 to 18 ft. high, B&B	. 60 00
5 to 5½-in. cal., 14 to 20 ft. high, B&B	. 75 00
$5\frac{1}{2}$ to 6-in. cal., 14 to 20 ft. high B&B	
6 to 6½-in. cal., 16 to 22 ft. high, B&B	.100 00
$6\frac{1}{2}$ to 7 -in. cal., 16 to 22 ft. high, B&B	.115 00
7 to 7½-in. cal., 18 to 25 ft. high, B&P	.140 00
7½ to 8-in. cal., 18 to 25 ft. high, B&B	.160 00
C. florida rubra. <i>Red-flowering Dogwood</i> . Regular grade.	
3 to 4 ft., B&B	. 5 00
4 to 5 ft., B&B	. 8 00
5 to 6 ft., B&B	. 10 00
6 to 8 ft., B&B	. 17 50
8 to 10 ft., B&B	. 22 50
Specimen grade. Spread 6 to 10 ft. 3 to 3½-in. cal., 12 to 14 ft. high, B&B	
3½ to 4-in. cal., 12 to 16 ft. high, B&B	

2 *************************************		
Cornus florida rubra, continued	777	,
Specimen grade. Extra heavy. Spread 9 to 18 ft.	Ea	ch
3½ to 4-in. cal., 12 to 15 ft. high, B&B	\$30 75	00
4 to 4½-in. cal., 12 to 15 ft. high, B&B	25	00
5 to 5½-in. cal., 14 to 18 ft. high, B&B	100	00
$5\frac{1}{2}$ to 6-in. cal., 14 to 20 ft. high, B&B	125	00
6 to 6½-in. cal., 14 to 20 ft. high, B&B	150	00
C. kousa. Japanese Flowering Dogwood.		
6 to 8 ft., specimen, B&B	10	00
8 to 10 ft., specimen, B&B	15	00
10 to 12 ft., specimen, B&B	20	
12 to 14 ft., specimen, B&B	25	00
CRATÆGUS arnoldiana. Arnold's Hawthorn. White.		
8 to 10 ft., specimen, B&B	25	00
10 to 12 ft., specimen, B&B		
C. carrierei. Carriere Hawthorn. White.		
8 to 10 ft., specimen, B&B	25	00
10 to 12 ft., specimen, B&B	30	00
C. coccinea. Thicket Hawthorn. White.		
4 to 5 ft., B&B		
5 to 6 ft., B&B		
6 to 8 ft., B&B	15	00
C. cordata. Washington Hawthorn. White.		
6 to 8 ft	8	
8 to 10 ft		
10 to 12 ft., specimen, B&B		
	00	00
C. crus-galli. Cockspur Thorn. White. 4 to 5 ft	5	00
5 to 6 ft		50
8 to 10 ft., specimen, B&B		
10 to 12 ft., specimen, B&B	30	
C. monogyna plena. Paul's Double Scarlet Hawthorn.		
6 to 8 ft		
8 to 10 ft	15	00
C. monogyna rosea. Paul's Double Pink Hawthorn.		
6 to 8 ft		
8 to 10 ft	15	00
GORDONIA alatamaha. Gordonia.		
2 to 3 ft., B&B		00
3 to 4 ft., B&B		50
4 to 5 ft., B&B	10	00
KOELREUTERIA paniculata. Goldenrain-Tree.		
3 to 4 ft., B&B	4	00
4 to 5 ft., B&B	5	00
5 to 6 ft., B&B	7	50
LABURNUM vulgare. Golden-Chain.		
8 to 10 ft., specimen, B&B	15	00
10 to 12 ft., specimen, B&B		
12 to 15 ft., specimen, B&B	$\overline{25}$	00
L. vossi. Vossi Golden-Chain.		
6 to 8 ft., specimen, B&B	12	50
8 to 10 ft., specimen, B&B	15	00
MAGNOLIA glauca. Sweet Bay. Creamy white.		
4 to 5 ft., B&B	10	00
M. soulangeana. Saucer Magnolia. Pink.	10	00
2 to 2½ ft., B&B	7	50
· - · ·	1	00
M. soulangeana nigra. Saucer Magnolia. Deep pink.	0	50
2 to $2\frac{1}{2}$ ft., B&B	8	50
M. stellata. Star Magnolia. Pure white. 2 to $2\frac{1}{2}$ ft., specimen, B&B	10	00
$2\frac{1}{2}$ to 3 ft., specimen, B&B	10	00
3 to 3½ ft., specimen, B&B	$\frac{10}{20}$	

1 to the title 1 tees		
MALUS arnoldiana. Arnold Crab-Apple. Semi-double;		
deep pink.	Eac	
4 to 5 ft		
5 to 6 ft		
7 to 8 ft		
M. atropurpurea. Purple-leaved Crab-Apple. Single;		
rosy pink.		
5 to 6 ft	10	00
8 to 10 ft	15	
10 to 12 ft., specimen, B&B		00
12 to 14 ft., specimen, B&B	40	00
M. atrosanguinea. Carmine Crab-Apple. Single; dark		
pink.	0	00
4 to 5 ft., B&B		00
5 to 6 ft., B&B	10	00
M. floribunda. Japanese Flowering Crab-Apple. Light		
pink. 4 to 5 ft	5	00
	J	00
M. halliana parkmani. Parkman Crab-Apple. Pink. 4 to 5 ft.	7	50
5 to 6 ft		
6 to 8 ft., specimen, B&B		
*M. ioensis bechteli. Bechtel Crab-Apple. Double;		
pink.		
3 to 4 ft., 2 yr	5	
3 to 4 ft., 3 yr	7	50
*Malus ioensis bechteli guaranteed for first growing		
season only.		
M. purpurea eleyi. Eley Crab-Apple. Deep pink.	5	00
4 to 5 ft		
10 to 12 ft., specimen, B&B	30	
M. robusta. Upright Cherry Crab-Apple. Creamy white.		
6 to 8 ft., specimen, B&B	20	00
8 to 10 ft., specimen, B&B	25	
10 to 12 ft., specimen, B&B	30	
12 to 14 ft., specimen, B&B	35	00
M. sargenti. Sargent Crab-Apple. Pure white.	10	~ 0
2½ to 3 ft. high, 4 to 5-ft. spread, B&B	12 15	
	10	00
M. scheideckeri. Scheidecker Crab-Apple. Semidouble; pink.		
4 to 5 ft	7	50
5 to 6 ft	10	
6 to 8 ft	12	
8 to 10 ft	15	00
M. spectabilis. Chinese Crab-Apple. Double; pink.	_	× 0
4 to 5 ft	7	
5 to 6 ft	$\begin{array}{c} 10 \\ 12 \end{array}$	
8 to 10 ft	15	
M. theifera. Tea Crab-Apple. White or tinted with		
pale pink.		
5 to 6 ft	7	
6 to 7 ft	10	
7 to 8 ft	12 22	
		50
OXYDENDRUM arboreum. Sorrel-Tree.	-	
4 to 5 ft., B&B 5 to 6 ft., B&B	$\frac{7}{10}$	-
6 to 7 ft., B&B	12	
7 to 8 ft., B&B	15	00
8 to 9 ft., B&B	17	50
10		



Weeping Flowering Cherry

PRUNUS, Beni Higan. Pink Single-flowering Cherry. Each
1 to 1½-in. cal., 4 to 5 ft. high, B&B \$7 50
$1\frac{1}{2}$ to 2-in. cal., 5 to 6 ft. high, B&B
2 to 2½-in. cal., 6 to 7 ft. high, B&B 15 00
P. cerasifera blireana. Purple-leaved Double Plum.
6 to 8 ft
8 to 10 ft
10 to 12 ft
P. glandulosa. See Flowering Shrubs.
P., Hisakura. Pink Double-flowering Cherry.
8 to 10 ft., specimen, B&B
10 to 12 ft., specimen, B&B
P., Kwansan. Large Pink Double-flowering Cherry.
8 to 10 ft., specimen, B&B
P. rosea pendula. Weeping Pink-flowering Cherry.
6-ft. stem, 2-yr. head
6-ft. stem, 4-yr. head
6-ft. stem, heavy specimen, B&B\$100 and up
P. triloba plena. See Flowering Shrubs.
STEWARTIA pseudo-camellia. Japanese Stewartia.
White.
3 to 4 ft., B&B
10 to 12 ft., specimen, B&B
12 to 14 ft., specimen, B&B
STYRAX japonica. Snowbell.
6 to 8 ft., specimen, B&B
8 to 10 ft., specimen, B&B
10 to 12 ft., heavy specimen, B&B
12 to 14 to, neavy specimen, D&D



Evergreens give permanent beauty all the year, carrying their beautiful richly colored foliage through the winter, when deciduous trees and shrubs are leafless. Every home-builder, no matter how small the grounds, needs them. They not only provide privacy, but are indispensable for shelter and windbreaks, hedges, backgrounds, and specimens in landscape work. The slow-growing and spreading varieties such as Yews and Junipers are available for use in house and garden plantings. Practically all evergreens require light and air. Yews and Hemlocks are the most tolerant of shade.

3	T. L.	
ABIES concolor. White Fir.	Each	1
12 to 14 ft., specimen	\$50 0	0
14 to 16 ft., specimen	65 0	0
16 to 18 ft., specimen		0
A. homolepis (brachyphylla). Nikko Fir.		
8 to 10 ft	15 0	0
10 to 12 ft	20 0	0
CHAMÆCYPARIS (Retinospora). C. pisifera filifera. Thread Cypress.		
15 to 18 in	$\dots 25$	0
$1\frac{1}{2}$ to 2 ft	3 0	0
C. pisifera plumosa. Plume Cypress.		
15 to 18 in	2 0	0
1½ to 2 ft.	2.5	0

All Evergreens Balled & Burlapped

Chamæcyparis pisifera plumosa aurea. Golden Plume Cypress.	Each
15 to 18 in	\$2 50 3 00
1½ to 2 ft 2 to 3 ft	4 00
3 to 4 ft	5 00
C. pisifera plumosa nana. Dwarf Plume Cypress. 3 to 3½-ft. spread	10 00
C. pisifera squarrosa. Moss Cypress.	2.00
15 to 18 in	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$
2 to 3 ft	4 00
CRYPTOMERIA japonica lobbi compacta.	15 00
8 to 10 ft	20.00
16 to 18 ft., heavy specimen	75 00
JUNIPERUS chinensis columnaris. Columnar Juniper.	
8 to 10 ft	15 00
12 to 14 ft., specimen	25 00 35 00
J. chinensis pfitzeriana. Pfitzer Juniper.	
15 to 18-in. spread	2 50
$1\frac{1}{2}$ to 2-ft. spread	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$2\frac{1}{2}$ to 3 -ft. spread	$\frac{1}{5} \frac{00}{00}$
3 to 3½-ft. spread	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$
3½ to 4-ft. spread	10 00
15 to 18-in. spread	3 50
1½ to 2-ft. spread	4 50
2 to 2½-ft. spread	6 00
J. chinensis sargenti. Sargent Juniper. 15 to 18-in. spread	3 50
$1\frac{1}{2}$ to 2-ft. spread	4 50
2 to 2½-ft. spread.	6 00
J. communis depressa plumosa. Andorra Juniper. 1½ to 2-ft. spread	2 50
$2 \text{ to } 2\frac{1}{2}\text{-ft. spread.}$	3 00
$2\frac{1}{2}$ to 3 -ft. spread. 3 to $3\frac{1}{2}$ -ft. spread. 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$3\frac{1}{2}$ to 4 -ft. spread	5 00
J. communis hibernica. Irish Juniper.	
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.}}{2 \text{ to } 2\frac{1}{4} \text{ ft}}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ J. horizontalis. Creeping Juniper.	2 30
12 to 15 in	3 00
15 to 18 in	3 50
J. virginiana globosa. Globe Cedar. 2 to 2½-ft. spread	5 00
$2\frac{1}{2}$ to 3-ft. spread.	$\frac{5}{7} \frac{50}{50}$
$3 \text{ to } 3\frac{1}{2}\text{-ft. spread.}$	10 00
J. virginiana keteleeri. Keteleer Cedar.	25 00
12 to 14 ft., specimen	35 00 50 00
PICEA omorika. Serbian Spruce. 5 to 6 ft	12 50
6 to 8 ft	$\frac{12}{15} \frac{30}{00}$
8 to 10 ft	20 00
P nungang kastariana Vastar Plus Street	25 00
P. pungens kosteriana. Koster Blue Spruce. 9 to 10 ft	65 00
10 to 11 ft	75 00
11 to 12 ft	85 00
70	

Breigieens		
PINUS montana mughus. Mugho Pine.	Ea	ch
	\$3	50
1½ to 2-ft, spread	**	00
2 to 2½-ft, spread		00
2½ to 3-ft. spread	7	50
	10	
Larger sizes on application.		
• •		
P. strobus. White Pine. 2 to 3 ft	4	00
		00
3 to 4 ft		00
4 to 5 ft	7	
5 to 6 ft	10	00
0 00 . 2011	12	50
• 00 0 10111111111111111111111111111111	15	00
o to 10 in speciment, i		00
5½ to 6-in. cal., 18 to 25 ft. high, specimen	00	00
$6 \text{ to } 6\frac{1}{2}$ -in. cal., $18 \text{ to } 30 \text{ ft. high, specimen.} \dots 1$	40	UU
Larger sizes on application.		
P. sylvestris. Scotch Pine.		
	10	00
	12	50
	15	00
	17	50
P. thunbergi. Japanese Black Pine.	=	00
2 to 3 ft		00
$\frac{3}{4}$ to $\frac{4}{5}$ ft.		50
	10	
5 to 6 ft	15	UU
- 44 A A A A A A A A A A A A A A A A A A		
TAXUS baccata repandens. English Spreading Yew.		0.0
15 to 18 in		00
$1\frac{1}{2}$ to 2 ft		50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	8	00
T. cuspidata. Japanese Spreading Yew.		
12 to 15 in	3	50
15 to 18 in.		50
$1\frac{1}{2}$ to 2 ft		00
2 to $2\frac{1}{2}$ ft		50
		00
		00
	50	
Larger sizes on application.		
T. cuspidata capitata. Japanese Pyramidal Yew.	_	00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$		00
$2\frac{1}{2}$ to 3 ft		00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	7	00
$3\frac{1}{2}$ to 4 ft		00
4 to 5 ft		50
5 to 6 ft	15	00
6 to 7 ft	17	50
	40	00
	45	00
	50	00
	85	00
12 to 13 ft. high, 5 to 9-ft. spread, heavy specimen. 1		00
13 to 14 ft. high, 5 to 9-ft. spread, heavy specimen. 1		00
14 to 15 ft. high, 6 to 10-ft. spread, heavy spec 1	.00	00
T. cuspidata intermedia. Spreading Hybrid Yew.		
8 to 10 in. high	3	00
15 to 18 in, high	5	00
$1\frac{1}{2}$ to 2 ft. high	6	50
T. cuspidata nana (brevifolia). Dwarf Spreading Yew. 8 to 10 in. high	9	00
10 to 12 in. high		50
12 to 15 in. high	4	
15 to 18 in. high	6	00
10 to 10 m, mgn	U	00



Taxus media browni. Brown's Yew.	$\mathbf{E}_{\mathbf{z}}$	ach
12 to 15-in. spread	\$4	00
15 to 18-in. spread	5	50
T. media hatfieldi. Upright type. Hatfield's Yew.		
10 to 12 in	3	50
$1\frac{1}{2}$ to 2 ft	8	00
T. media hicksi. Hicks Yew.		
15 to 18 in. high	4	00
$1\frac{1}{2}$ to 2 ft. high	5	00
2 to $2\frac{1}{2}$ ft. high	6	50
$2\frac{1}{2}$ to $\tilde{3}$ ft. high		50
8 to 9 ft., specimen	40	00
9 to 10 ft., specimen	45	00
T. media hunnewelliana. Hunnewell's Yew.		
$1\frac{1}{2}$ to 2-ft. spread	9	00
T. media microphylla.		
$1\frac{1}{2}$ to 2 ft. high	6	50
2 to $2\frac{1}{2}$ ft. high	7	50
T. media wellesleyana. Wellesley's Yew.		
$1\frac{1}{2}$ to 2-ft. spread	7	50



Taxus cuspidata nana (brevifolia)

Livergreens		
THUJA occidentalis. American Arborvitæ.	Ea	ach
5 to 6 ft	\$7	50
6 to 7 ft	9	00
14 to 16 ft., heavy specimen		
16 to 18 ft., heavy specimen	30	00
T. occidentalis nigra. Dark American Arborvitæ.		0.0
2 to 3 ft		00
3 to 4 ft		00
4 to 5 ft 5 to 6 ft		50 00
	9	00
T. occidentalis douglasi pyramidalis. Douglas Pyramidal Arborvitæ.		
2 to 3 ft	3	50
3 to 4 ft		00
T. occidentalis globosa. Globe Arborvitæ.		
15 to 18 in	2	50
$1\frac{1}{2}$ to 2 ft		00
2 to 2½ ft		00
T. occidentalis, Little Gem. Little Gem Arborvitæ.		
1½ to 2 ft	6	00
2 to $2\frac{1}{2}$ ft	7	50
T. occidentalis pyramidalis. Pyramidal Arborvitæ.		
2 to 3 ft	3	00
3 to 4 ft	4	50
4 to 5 ft		00
5 to 6 ft	7	50
T. occidentalis rosenthali. Rosenthal Arborvitæ.		
2 to 3 ft		00
3 to 4 ft		00
9 to 10 ft., specimen		
10 to 11 ft., specimen	17	50
T. occidentalis semperaurea. Goldentip Arborvitæ.		
2 to 3 ft		00
3 to 4 ft		00
4 to 5 ft		00
10 to 12 ft., specimen		00
14 to 16 ft., heavy specimen		
16 to 18 ft., heavy specimen	60	
	50	00



Landscape Planting with Taxus media Hicksi (Hicks Yew)



Canadian Hemlock, 3 to 4 feet. Stocky plants of this character make excellent hedges.

Thuja occidentalis wareana. Siberian Arborvitæ.	Each
1½ to 2 ft	\$4 00
$2^{'}$ to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to $\bar{3}$ ft	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	
TSUGA canadensis. Canadian Hemlock.	
15 in	3 50
$1\frac{1}{2}$ ft	
$2^{\circ} ext{f} ilde{ t t}.\dots$	
3 ft	6 50
4 ft	8 00
5 ft., specimen	12 50
6 ft., specimen	
7 ft., heavy specimen	$25 \ 00$
8 ft., heavy specimen	30 00
4 to 5-in. cal., 14 to 16 ft. high, extra heavy spec	
5 to 6-in. cal., 16 to 18 ft. high, extra heavy spec	
$5\frac{1}{2}$ to $6\frac{1}{2}$ -in. cal., 18 to 20 ft. high, extra heavy	
specimen	75 00
$6 \text{ to } 7\frac{1}{2}$ -in. cal., $18 \text{ to } 22 \text{ ft. high, extra heavy spec.}$	
6½ to 8-in. cal., 20 to 25 ft. high, extra heavy spec.	
8 to $9\frac{1}{2}$ -in. cal., 20 to 25 ft. high, extra heavy spec.	150 00



An effective arrangement

Azaleas


AZALEA arborescens. Sweet Azale Each	a. White or blush-pink.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2½ to 3 ft\$4 50
A. calendulacea. Flame Azalea.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$2\frac{1}{2}$ to 3 ft
A. nudiflora. Pinxterbloom. Pink.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$2\frac{1}{2}$ to 3 ft
A. rosea. Deep pink.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$2\frac{1}{2}$ to 3 ft
A. vaseyi. Shell-pink.	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$2\frac{1}{2}$ to 3 ft 4 50



of flowering Azaleas

Azaleas

*AZALEA, Hinodegiri. Red. 12 to 15 in. 15 to 18 in. 18 to 21 in. 21 to 24 in.	6 50 8 00
A. mollis. Chinese Azalea. Varied orange color. 15 to 18 in	
A. schlippenbachi. Rose-pink. 2 to $2\frac{1}{2}$ ft	10 00
A. yedoense. <i>Yodogawa Azalea</i> . Lavender. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft.	10 00
*Azalea Hinodegiri guaranteed for first grown season only.	ing



UR NURSERY is located in the town of New Canaan, Conn., 40 miles from New York City and just ½ mile north of the Merritt Parkway, which connects with Hutchison River and other New York City and Westchester County parkway systems.

Approaching New Canaan from New York, turn right off the Merritt Parkway at the NEW CANAAN AVENUE, ROUTE 123 exit. Turn right on State Highway passing back under Parkway and follow Hoyt Nursery signs for ½ mile to Nursery.

Approaching on Merritt Parkway from Bridgeport and East, turn right off parkway at the NEW CANAAN AVENUE, ROUTE 123 exit. Proceed straight ahead and follow Nursery signs ½ mile to Nursery.

Large Tree Moving is Our Specialty

AMERICAN CEDAR, 30 feet tall; stem diameter 10 inches; diameter of ball 7 feet. This tree was planted for one of our clients in 1936 and is thriving today.





Hardy Evergreen Shrubs

All Balled and Burlapped except where otherwise noted

The importance of this class of plant material has long been recognized by garden lovers. Since they are evergreen, they present an attractive appearance, in both summer and winter. They are comparatively slow growers, are easy to keep in bounds, and grow more beautiful with age. All of these varieties grow best in a somewhat acid soil, lightened by plenty of leaf-mold or peat-moss, and some require protected locations for best results. Certain varieties may be used with success in plantings in the shade.

Each


ABELIA grandiflora. Glossy Abelia.

4-yr., heavy		3 00
AZALEA. See pages 18 and 19.		
BERBERIS julianæ. Wintergreen Barberry.		
$2\frac{1}{2}$ to 3 ft		00 00
BUXUS sempervirens arborescens. Boxwood.		
Edging Boxwood.	Per	
5 to 6 in., bare root		
8 to 10 in., bare root	. 65	00
10 to 12 in., bare root		
Specimen Boxwood. 10 x 10 in	Ea \$1	
12 x 10 in	2	00
$12 \times 12 \text{ in.}$ $14 \times 12 \text{ in.}$		
30 x 30 in		
36 x 36 in		
COTONEASTER adpressa praecox. Hybrid Rock		
Cotoneaster. 12 to 15-in. spread, pot-grown	3	00
C. dielsiana. Diel's Cotoneaster.		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	3	00
$2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. 3	4	5 5U - 00
$3\frac{1}{2}$ to $\tilde{4}$ ft	5	00
C. divaricata. Upright Spreading Cotoneaster.		
$1\frac{1}{2}$ to 2 ft	$\ldots 2$	2 50
$2\frac{1}{2}$ to 3 ft	0	5 50
C. francheti. Franchet Cotoneaster.		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$	3	3 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	4	5 00 5 00
C. horizontalis. Rock Cotoneaster.		
8 to 9-in. spread, pot-grown	2	2 75
C. microphylla. Rockspray Cotoneaster. 9 to 12-in. spread, pot-grown	2	2 00
C. zabeli. Zabel's Cotoneaster.		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		3 00
$2\frac{1}{2}$ to 3 ft	٠ ٤	3 5U 4 00
$3\frac{1}{2}$ to $\tilde{4}$ ft		5 00
ILEX crenata. Japanese Holly.		
15 to 18 in	• • • 4	2 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$		5 00
22		

Hardy Evergreen Shrubs

*Ilex crenata bullata (convexa). Boxleaf Holly.	Each	
12 to 15 in		
15 to 18 in		
$1\frac{1}{2}$ to 2 ft		
2 to $2\frac{1}{2}$ ft		
$2\frac{1}{2}$ to 3 ft		
I. glabra. Inkberry.		
12 to 15 in	2 50	
15 to 18 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$1\frac{1}{2}$ to 2 ft	2 50	
2 to $2\frac{1}{2}$ ft.		
$2\frac{1}{2}$ to 3 ft		
	0 00	'
*I. opaca. American Holly.	0.00	
12 to 15 in	$\frac{2}{2} \frac{00}{50}$	
15 to 18 in	$\frac{2}{2}$ 50	
$\frac{1}{2}$ to 2 ft		
2 to 3 ft		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
5 to 6 ft., heavy specimen		
6 to 7 ft., heavy specimen	$\frac{25}{20}$ 00	
7 to 8 ft., heavy specimen	$\frac{30}{100}$	
8 to 9 ft., heavy specimen		
9 to 10 ft., heavy specimen	50 00	1
Berrying plants (Female), 50 per cent extra.		
*Ilex crenata bullata and Ilex opaca guaranteed	l	
for first growing season only.		
KALMIA latifolia. Mountain Laurel.		
15 to 18 in	2 50	
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.}}{2 \text{ to } 2\frac{1}{4}}$		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		
$2\frac{1}{2}$ to 3 ft		
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	$\frac{0}{7} \frac{00}{00}$	
$3\frac{1}{2}$ to 4 ft	7 00	
LEUCOTHOE catesbæi. Drooping Leucothoe.		
15 to 18 in	2 50)
$1\frac{1}{2}$ to 2 ft)
· -		

Kalmia latifolia (Mountain Laurel)





Rhododendrons

Hardy Evergreen Shrubs

PIERIS (Andromeda) floribunda. Mountain Andromeda.
Flowers upright. Each
12 to 18 in\$3 00
$1\frac{1}{2}$ to 2 ft
P. japonica. Japanese Andromeda. Flowers drooping.
15 to 18 in
$1\frac{1}{2}$ to 2 ft
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 7 50$
PYRACANTHA coccinea lalandi. Laland Firethorn.
$1\frac{1}{2}$ to 2 ft., pot-grown
RHODODENDRON carolinianum. Pink Carolina
Rhododendron.
$1\frac{1}{2}$ to 2 ft
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 5 00$
R. catawbiense. Catawba Rhododendron. Rosy purple.
$1\frac{1}{2}$ to 2 ft
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 6 00$
$2\frac{1}{2}$ to 3 ft
R. maximum. Rosebay Rhododendron. Pale pink.
$1\frac{1}{2}$ to 2 ft
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 6 00$
$2\frac{1}{2}$ to 3 ft
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 8 00$
$3\frac{1}{2}$ to 4 ft
4 to 5 ft., specimen
5 to 6 ft., specimen
6 to 7 ft., specimen25 00

Included among the Flowering Shrubs are those old favorites well known to all, as well as some worthy new varieties. We offer shrubs in two grades, a regular or standard grade, and our specimen grade.

Our standard shrubs are good, sturdy, well-grown plants which will thrive and grow rapidly into fine bushes.

The specimen shrubs are larger, well-developed plants which have been spaced and pruned in the nursery, and when used in plantings, give an immediate landscape effect.


All Flowering Shrubs are bare root excepting where marked B&B (balled and burlapped)

Each

ABELIA grandiflora. Glossy Abelia.

4-yr., heavy	\$3	00
AMELANCHIER canadensis. Downy Shadbush.		
2 to 3 ft., B&B	. 2	00
	. 3	00
ARONIA arbutifolia. Red Chokeberry.	1	00
2 to 3 ft	. 1	00
2 to 3 ft	. 1	00
2 to 3 ft., specimen, B&B	. 2	50
3 to 4 ft., specimen, B&B	. 0	00
AZALEA. See pages 18 and 19.		
BENZOIN æstivale (Lindera benzoin). Spice-bush.	. 1	25
2 to 3 ft	2	00
4 to 5 ft., specimen, B&B	3	50
5 to 6 ft., specimen, B&B BERBERIS thunbergi. Japanese Barberry.	. o	UU
15 to 18 in\$40 per 100		50
$1\frac{1}{2}$ to 2 ft		60
2 to 2½ ft\$65 per 100 2½ to 3 ft., specimen, B&B	3	75 50
3 to 3½ ft., specimen, B&B	. 4	
B. thunbergi atropurpurea. Redleaf Barberry.		
15 to 18 in		85 25
1½ to 2 ft	$\begin{array}{ccc} & & 1 \\ & & 1 \end{array}$	$\frac{25}{75}$
2 to 2½ ft., B&B	2	50
BUDDLEIA, Charming. New pink Butterfly Bush.		
B., Dubonnet. Dark wine-red.		
B. farquhari. Light rosy-pink. B., Ile de France. Rose-purple.		
Price of above Buddleia:		
3-yr	1	00
CALLICARPA purpurea. Chinese Beauty-berry.		
2 to 3 ft	$\frac{1}{1}$	00 25
	д	20
CALYCANTHUS floridus. Sweet-Shrub.	1	25
CARAGANA arborescens. Pea-Tree.		
3 to 4 ft	1	50
3 to 4 ft	$\frac{2}{2}$	50
5 to 6 ft., specimen, B&B	5	00
CEPHALANTHUS occidentalis. Button-Bush.		
2 to 3 ft		75
3 to 4 ft	1	00
3 to 4 ft., B&B	2	00

1 towering on mos		
CLETHRA alnifolia. Sweet Pepperbush.	Ea	ch
2 to 3 ft		
3 to 4 ft		
3 to 4 ft., B&B	3	50
CORNUS alba sibirica. Coral Dogwood.		
2 to 3 ft		00
2 to 3 ft	1	00
C. mascula. Cornelian-Cherry. 3 to 4 ft., B&B	3	50
4 to 5 ft., B&B	5	00
5 to 6 ft., B&B	7	50
C. paniculata. Gray Dogwood. 4 to 5 ft	1	25
5 to 6 ft		00
6 to 7 ft		50
C. stolonifera. Red-Osier Dogwood. 2 to 3 ft	1	00
C. stolonifera flaviramea. Golden-twig Dogwood.		
2 to 3 ft		
	1	20
CYDONIA japonica. Red-flowering Quince. 15 to 18 in., B&B	2	00
$1\frac{1}{2}$ to 2 ft.		
2 to $2\frac{1}{2}$ ft	2	00
C. japonica nivalis. White-flowering Quince.	9	00
		00
DEUTZIA gracilis. Slender Deutzia. White.		
15 to 18 in		
15 to 18 in., B&B		
1½ to 2 ft., B&B	2	90
15 to 18 in	1	25
$1\frac{1}{2}$ to 2 ft., B&B		50
D. lemoinei. Lemoine Deutzia. White.	9	50
1½ to 2 ft., B&B		50 00
D. scabra, Pride of Rochester. White to pale pink.		
2 to 3 ft		00
3 to 4 ft		25 50
D. scabra crenata. Double-flowering Pink Deutzia.		
2 to 3 ft		00
M	3	25 50
	0	00
ENKIANTHUS campanulatus. Redvein Enkianthus. 2 to 3 ft., B&B	2	50
3 to 4 ft., B&B	3	00
4 to 5 ft., B&B	4	00
EUONYMUS alatus. Winged or Corky-barked Euonymu		~ ~
	2 4	$\frac{50}{00}$
4 to 5 ft		50
4 to 5 ft., specimen, B&B		00
		50 50
E. alatus compactus. Dwarf Winged Euonymus.		
2 to 3 ft	2	
3 to 4 ft., specimen, B&B E. europæus. European Burning-Bush.	4	00
2 to 3 ft	1	50
3 to 4 ft		



Forsythia spectabilis

8
FORSYTHIA intermedia spectabilis. Showy Border Forsythia.
3 to 4 ft\$1 00
4 to 5 ft., B&B
Larger sizes on application.
F. suspensa. Weeping Golden-Bells.
2 to 3 ft., specimen, B&B
4 to 5 ft
F. suspensa fortunei. Fortune's Golden-Bells. 3 to 4 ft
3 to 4 ft
5 to 6 ft., B&B. 4 50
5 to 6 to, Bab 1 50
HALESIA tetraptera. Silver-Bell.
6 to 8 ft
8 to 10 ft
8 to 10 ft., extra heavy specimen, B&B
10 to 12 ft., extra neavy specimen, D&D20 00
HAMAMELIS virginiana. Witch-Hazel. Lemon color. 3 to 4 ft
4 to 5 ft
4 to 5 ft., specimen, B&B
5 to 6 ft., specimen, B&B
Larger sizes on application.
HIBISCUS. Althea; Rose-of-Sharon.
H. syriacus anemonæflorus. Double pink.
2 to 3 ft 1 00
3 to 4 ft
6 to 8 ft., heavy specimen, B&B
H. syriacus, Boule de Feu. Double red.
2 to 3 ft 1 00
3 to 4 ft
H. syriacus cœlestis. Single blue.
2 to 3 ft 1 00
3 to 4 ft
5 to 6 ft., heavy specimen, B&B
H. syriacus, Jeanne d'Arc. Double white.
2 to 3 ft
0 t0 4 ft,



Hibiscus syriacus, Lady Stanley. Double blush-pink. Each 2 to 3 ft	
3 to 4 ft	
2 to 3 ft., specimen, B&B	
3 to 4 ft., specimen, B&B	
H. syriacus pulcherrimus. Double pink, crimson center.	
2 to 3 ft	
3 to 4 ft	
H. syriacus rubis. Single red.	
2 to 3 ft	
3 to 4 ft	
3 to 4 ft., specimen, B&B	
, , , ,	
H. syriacus totus albus. Single white. 2 to 3 ft	
2 to 3 ft., specimen, B&B	
3 to 4 ft	
3 to 4 ft., specimen, B&B 3 50	
HYDRANGEA arborescens grandiflora. Hills-of-Snow	
Hydrangea.	
2 to 3 ft	
H. paniculata grandiflora. Peegee Hydrangea.	
2 to 3 ft	
3 to 4 ft	
3 to 4 ft., B&B	
HYPERICUM aureum. Golden St. Johns-Wort.	
2 to 3 ft	
2 to 3 ft., specimen, B&B	

I towering Sittates
ILEX verticillata. Black-Alder; Winterberry. Each
2 to 3 ft\$1 50
3 to 4 ft., specimen, B&B
4 to 5 ft., specimen, B&B 3 50
5 to 6 ft., specimen, B&B
Berrying plants (Female), 50 per cent extra. I. verticillata polycarpa. Hybrid Black-Alder; Winter-
berry.
3 to 4 ft. (Berrying plants only)
*JASMINUM nudiflorum. Winter Jasmine.
2 to 3 ft., B&B
3 to 4 ft., B&B
*KERRIA japonica pleniflora. <i>Double Kerria</i> . 2 to 3 ft
3 to 4 ft
*Jasminum nudiflorum and Kerria japonica pleni-
flora are guaranteed for first growing season only.
KOLKWITZIA amabilis. Beauty-Bush. $1\frac{1}{2}$ to 2 ft
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$3 \text{ to } 3\frac{1}{2} \text{ ft., } B\&B$
3 to 4 ft
LIGUSTRUM ibolium. Ibolium Privet.
3 to 4 ft\$25 per 100 35
L. ibota regelianum. Regel's Privet.
$2\frac{1}{2}$ to 3 ft
$3\frac{1}{2}$ to 4 ft
4 to 5-ft. spread, 3 to 3½ ft. high, specimen, B&B 5 00 5 to 6-ft. spread, 3 to 4 ft. high, specimen, B&B 7 50
5 to 6-ft. spread, 3 to 4 ft. high, specimen, B&B 7 50 6 to 7-ft. spread, 3½ to 4½ ft. high, specimen, B&B. 10 00
· , , • · · · · · · · · · · · · · · · ·
LONICERA fragrantissima. Winter Honeysuckle. 3 to 4 ft
L. heckrotti. Everblooming Honeysuckle. Cream to
rose.
2-yr., field-grown
L. korolkowi. Round Blueleaf Honeysuckle.
5 to 6 ft
6 to 7 ft
3 to 4 ft
5 to 6 ft
6 to 8 ft
3 to 4 ft
L. tatarica rosea. Pink Tatarian Honeysuckle.
3 to 4 ft 1 00
5 to 6 ft., specimen, B&B
8 to 10 ft., heavy specimen, B&B
L. tatarica rubra. Red Tatarian Honeysuckle.
3 to 4 ft
5 to 6 ft., specimen, B&B 4 00
LYCIUM barbarum. Matrimony-Vine.
2 to 3 ft
PHILADELPHUS coronarius. Sweet Mock-Orange.
White. 4 to 5 ft
5 to 6 ft
5 to 6 ft., specimen, B&B
90

Philadelphus coronarius grandiflorus. Big Mock-Orange.		
White.	โล	ch
4 to 5 ft\$		
5 to 6 ft		50
5 to 6 ft., specimen, B&B		
6 to 8 ft., specimen, B&B	Э	UU
P. lemoinei. Lemoine Mock-Orange. Sweet-scented;		
dwarf.		
2 to 3 ft	1	00
P. virginalis. Double-flowering Mock-Orange.		
2 to 3 ft	1	50
3 to 4 ft		
3 to 4 ft., specimen		
4 to 5 ft., specimen	3	UU
PHOTINIA villosa. Christmas-Berry.		
6 to 8 ft., specimen, B&B	3	00
8 to 10 ft., specimen, B&B		
10 to 12 ft., specimen, B&B) }	00
10 to 12 ft., specimen, D&B	J	00
PRUNUS glandulosa albo-plena. White Double-		
flowering Almond.		
3 to 4 ft	1	50
P. glandulosa roseo-plena. Pink Double-flowering		
Almond.		
3 to 4 ft	1	50
3 to 4 ft., B&B.		
)	00
P. triloba plena. Pink Double-flowering Plum.		
		00
4 to 5 ft	3	50
RHAMNUS cathartica. Buckthorn.		
		00
	L	UU
RHODOTYPOS kerrioides. Jetbead.		
3 to 4 ft	L	00



Philadelphus virginalis

T totter tits of thos
*ROSA hugonis. Father Hugo's Yellow Shrub Rose. Each $1\frac{1}{2}$ to 2 ft
*R. rugosa. <i>Rugosa Rose</i> . Pink flowers. 1½ to 2 ft
$*Rosa\ hugonis\ and\ Rosa\ rugosa\ are\ guaranteed\ for\ first\ growing\ season\ only.$
SALIX caprea. Pussy Willow. 3 to 4 ft
SPIRÆA bumalda, Anthony Waterer. Crimson Ever- blooming Spirea.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
S. prunifolia. True Bridal Wreath. White. 4 to 5 ft. 1 50 4 to 5 ft., specimen, B&B. 3 00
S. thunbergi. Thunberg's Spirea. White. 2 to 3 ft. 1 25 2 to 3 ft., specimen, B&B. 2 50 3 to 4 ft. 3 50
3 to 4 ft., specimen, B&B
3 to 4 ft., specimen, B&B
SYMPHORICARPOS chenaulti. Chenault Coralberry.
2 to 3 ft
S. vulgaris. Coral-Berry. 2 to 3 ft
SYMPLOCOS paniculata. Asiatic Sweetleaf. 4 to 5 ft. high, 3 to 5-ft. spread, specimen, B&B 4 00 5 to 6 ft. high, 3 to 5-ft. spread, specimen, B&B 5 00
SYRINGA. Lilac. See pages 34–36.
VACCINIUM corymbosum. Highbush Blueberry. 2 to 3 ft., specimen, B&B
VIBURNUM americanum. American Cranberry.
2 to 3 ft. 75 3 to 4 ft. 1 00 4 to 5 ft. 1 25 5 to 6 ft. 1 50 6 to 8 ft., specimen, B&B 5 00 8 to 10 ft., specimen, B&B 7 50
V. burkwoodi. Gardenia-scented Snowball. 1½ to 2 ft., B&B. 3 50 2 to 2½ ft., B&B. 5 00
V. carlesi. Fragrant Viburnum. Pink. 15 to 18 in., B&B. 3 00 1½ to 2 ft., B&B. 3 50 2 to 2½ ft., B&B. 5 00
V. cassinoides. Withe-Rod. Creamy white. 3 to 4 ft., specimen, B&B. 2 50 4 to 5 ft., specimen, B&B. 3 00
V. dentatum. Arrow-Wood. 1 00 3 to 4 ft. 1 00 5 to 6 ft., specimen, B&B. 3 50 6 to 8 ft., specimen, B&B. 5 00 8 to 9 ft., specimen, B&B. 7 50

1 to teering similes		
Viburnum dilatatum. Linden Viburnum. White.	E	ach
2 to 3 ft., specimen, B&B		
3 to 4 ft., specimen, B&B		
4 to 5 ft., specimen, B&B		
5 to 6 ft specimen R&R	. x	00
5 to 6 ft., specimen, B&B. 6 to 7 ft., specimen, B&B.	. 7	50
o to 7 lt., specimen, D&D	10	00
7 to 8 ft., specimen, B&B	. 10	UU
V. lentago. Nanny-Berry. White.		
3 to 4 ft	. ·1	00
4 to 5 ft	. 1	50
4 to 5 ft., specimen, B&B		00
5 to 6 ft., specimen, B&B		00
6 to 8 ft., specimen, B&B	. 5	00
8 to 10 ft., specimen, B&B	7	50
V. molle. Kentucky Viburnum.	4	00
5 to 6 ft., specimen, B&B	4	00
6 to 8 ft., specimen, B&B	Э	00
V. opulus. Highbush Cranberry.		
3 to 4 ft	. 1	00
4 to 5 ft		25
5 to 6 ft		50
5 to 6 ft., specimen, B&B		00
6 to 8 ft., specimen, B&B		00
8 to 10 ft., specimen, B&B	7	50
V. prunifolium. Black-Haw. White.	9	00
3 to 4 ft., specimen, B&B		00
4 to 5 ft., specimen, B&B.	4	00
5 to 6 ft., specimen, B&B	b	00
6 to 7 ft., specimen, B&B	7	50
V. rhytidophyllum. Leatherleaf Viburnum.		
1½ to 2 ft., B&B	3	50
2 to 3 ft., B&B	5	00
V. sieboldi. Siebold Viburnum. Creamy white.		
2 to 3 ft., B&B	2	00
3 to 4 ft., B&B		50
4 to 5 ft., specimen, B&B.		50
5 to 6 ft appeimen R&R	3	
5 to 6 ft., specimen, B&B.	4	50
6 to 8 ft., specimen, B&B	7	90



Fragrant Viburnum (Viburnum carlesi)




Specimen, Viburnum sieboldi

Viburnum theiferum. Tea Viburnum.
4 to 5 ft., specimen, B&B\$3 50
5 to 6 ft., specimen, B&B 5 00
V. tomen osum. Single Japanese Snowball.
2 to 3 ft 1 00
3 to 4 ft
4 to 5 ft
V. tomen osum plicatum. Double Japanese Snowball. 3 to 4 ft., B&B
5 to 4 m., D&D 2 50
VITEX macrophylla. Large-leaved Lilac Chaste-Tree.
2 to 3 ft
WEIGELA lile White Weigele
WEIGELA candida. White Weigela. 3 to 4 ft
W., Eva Rathke. Red-flowering Weigela.
2 to 3 ft
3 to 4 ft
W. floribunda. Crimson Weigela.
3 to 4 ft
3 to 4 ft., B&B
4 to 5 ft., B&B
6 to 7 ft., B&B
,
W. rosea. Pink and White Weigela.
2 to 3 ft

Old-Fashioned Lilacs

SYRINGA japonica. Japanese Tree Lilac. Single. Each Creamy white. 3 to 4 ft
S. josikaea. Hungarian Lilac. Single. Violet. 3 to 4 ft. 1 50 4 to 5 ft., specimen, B&B. 5 00
S. persica. Persian Lilac. Immense spikes; lavenderpink. 2 to 3 ft., B&B. 2 00 3 to 4 ft., B&B. 2 50
S. villosa. Late Hybrid Lilacs S., Handel. Single. S., Hecla. Single. S., Hedin. Single. S., Hedin. Single. S., Hedin. Single.
Prices of above Lilacs: 1 00 2 to 3 ft. 1 25 3 to 4 ft. 1 25 4 to 5 ft. 1 50 5 to 6 ft. 2 00
S. villosa. Late Lilac. Single. Lavender-pink. 5 to 6 ft., specimen, B&B
S. vulgaris. Common Purple Lilac. Single. Purple. 2 to 3 ft. 1 50 2 to 3 ft., B&B. 2 25 3 to 4 ft. 2 50 3 to 4 ft., B&B. 3 50 4 to 5 ft., specimen, B&B. 5 00 5 to 6 ft., specimen, B&B. 6 00



Specimen, Double Lilac



Syringa • Hybrid Lilacs

All Hybrid Lilacs, balled and burlapped

Charles X. Single. Reddish purple.	Each	
$ \begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} \\ 2 \text{ to } 3 \text{ ft.} \end{array} $		
3 to 4 ft		
Congo. Single. Dark red.		
3 to 4 ft	. 5 0	0
4 to 5 ft		
5 to 6 ft	. 8 0	0
de Mirabel. Single. Dark violet.	. 3 0	0
Diderot. Single. Claret-violet.		
$1\frac{1}{2}$ to 2 ft		0
2 to 3 ft	. 5 0	0
Hugo Koster. Single. Blue.		
$\frac{1}{2}$ to 2 ft		_
2 to 3 ft	. 4 0	0
Jan Van Tol. Single. Large; pure white.	0.0	
2 to 3 ft		
4 to 5 ft		_
6 to 7 ft., heavy specimen		
7 to 8 ft., heavy specimen		
8 to 9 ft., heavy specimen		
Jean Mace. Double. Bluish mauve.		
$1\frac{1}{2}$ to 2 ft	. 3 0	0
2 to 3 ft		_
3 to 4 ft		
4 to 5 ft	. 6 5	0
Katharine Havemeyer. Double. Cobalt-blue.	4.0	
2 to 3 ft		_
3 to 4 ft	. 5 0	U

Hybrid Lilacs, continued

Hybrid Lilacs, continued		
Ludwig Spæth. Single. Dark red.		ich
1½ to 2 ft	. \$3 . 5	00
2 to 3 ft		0.0
4 to 5 ft	. 7	50
Marie Legraye. Single. White.		0.0
1½ to 2 ft	. 2	00
2 to 3 ft	. 4	00
6 to 7 ft., heavy specimen	. 12	50
7 to 8 ft., heavy specimen	.15	00
Michel Buchner. Double. Blue.	9	00
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.}}{2 \text{ to } 3 \text{ ft.}}$. 4	00
8 to 9 ft., heavy specimen	.20	00
9 to 10 ft., heavy specimen	25	00
Mme. Casimir Perier. Double. White.	9	00
1½ to 2 ft	3	00
4 to 5 ft	5	
5 to 6 ft., specimen	. 7	50
6 to 7 ft., heavy specimen	12	50 00
	10	
Mme. Florent Stepman. Single. Large white. 3 to 4 ft	4	00
Mme. F. Morel. Single. Deep pink.		
$1\frac{1}{2}$ to 2 ft	3	00
3 to 4 ft	5	00
Mme. Lemoine. Double. Large white.	2	00
1½ to 2 ft		00
3 to 4 ft	4	00
4 to 5 ft	_	00
5 to 6 ft	-	00
7 to 8 ft., specimen	12	50
8 to 9 ft., heavy specimen	20	00
9 to 10 ft., heavy specimen	25	UU
Mont Blanc. Single. White. $1\frac{1}{2}$ to 2 ft	2	00
4 to 5 ft	5	00
Olivier de Serres. Double. Mauve.		
3 to 4 ft	5	00
Pres. Grevy. Double. Blue.	9	00
$1\frac{1}{2}$ to 2 ft	3 4	00
3 to 4 ft		00
Pres. Lincoln. Single. Bluish violet.		
2 to 3 ft	4	00
3 to 4 ft		00 50
Pres. Poincare. Double. Clear red-purple.		00
Pres. Poincare. Double. Clear reu-purple. $1\frac{1}{2}$ to 2 ft	3	00
Reaumur. Single. Violet-carmine.		
$1\frac{1}{2}$ to 2 ft	3	00
2 to 3 ft	4	00
Ruhm von Horstenstein. Single. Red.	2	00
1½ to 2 ft	0	00
Rubra de Marley. Single. Pale red.	4	00
3 to 4 ft	5	00
4 to 5 ft		50
5 to 6 ft., specimen	12	00 50
Wm. Robinson. Double. Violet-pink.		
15 to 18 in		00
3 to 4 ft		00
4 to 5 ft	0	50

Hardy Vines

riardy vines		
ACTINIDIA arguta. Bower Actinidia. 2-yr., field-grown	Ea §1	ch 50
AKEBIA quinata. Five-leaf Akebia. 2-yr., field-grown.		
AMPELOPSIS heterophylla. Porcelain Vine. 3-yr., field-grown.		00
A. quinquefolia. Virginia Creeper; Woodbine. 3-yr., field-grown.		00
A. tricuspidata lowi. Geranium Creeper. 2-yr., pot-grown.		
A. tricuspidata vei chi. Boston Ivy. 2-yr., field-grown	1	00
2-yr., pot-grown		
3-yr., field-grown	2	00
2-yr., field-grown	1	50
3-yr., field-grown, heavy clumps		00 50
CLEMATIS paniculata. Small White-flowered Clematis.		
3-yr., field-grown		00 50
EUONYMUS radicans. Winter-Creeper. 2-yr., field-grown. 3-yr., field-grown, 1½ to 2 ft	1	00
E. radicans carrierei. Glossy Winter-Creeper. 2-yr., field-grown.		
E. radicans vegetus. Big-leaf Winter-Creeper.		
2-yr., field-grown. 3-yr., field-grown, 1½ to 2 ft	2	00
*HEDERA helix. English Ivy. 2-yr., field-grown		40 75
*H. helix baltica. <i>Hardy English Ivy</i> . 2-yr., field-grown.		50
3-yr., pot-grown* * Hedera helix and Hedera helix baltica guaranteed for first growing season only.	1	00
HYDRANGEA petiolaris. Climbing Hydrangea.		
3-yr., pot-grown		00
LONICERA heckrotti. Everblooming Honeysuckle. 2-yr., field-grown	1	50
4-yr., field-grown, heavy clumps	2	50
2-yr., field-grown		60 75
PACHYSANDRA terminalis. Japanese Spurge. 2-yr., pot-grown\$25 per 100		40
POLYGONUM auberti. Silver Lace-Vine. 2-yr., field-grown.	1	00
2-yr., pot-grown. VINCA minor. Myrtle; Periwinkle.		
2-yr., pot-grown		40
2-yr., pot-grown\$35 per 100		50
WISTERIA sinensis. Blue Wisteria. 3-yr., field-grown, bare root		50
4-yr., field-grown, bare root	4	50 00 50

Hardy Vines

Huray vines
Wisteria sinensis. Blue Tree or Standard Wisteria. Each 3 to 4 ft., single stem, tub-grown\$10 00
W. sinensis alba. White Wisteria.
3-yr., field-grown
6-yr., field-grown
W. sinensis alba. White Tree or Standard Wisteria.
3 to 4 ft., single stem, tub-grown
3 to 5 ft. high x 8 to 12-ft. spread. Specimen, Bush-
type plants\$15 to 25 00 W. sinensis superba. Hybrid Blue Wisteria.
3-yr., field-grown
6-yr., field-grown. 4 00 6 to 7 ft., staked vines, tub-grown. 7 50
o to 7 it., staked villes, tub-grown, 7 50
Fruit Department
Apple, Standard SUMMER VARIETIES Size
Red Astrachan. Flesh, tinged with redA C
Yellow Transparent. Pale yellow
AUTUMN VARIETIES Cortland. Dark red
Early McIntosh. Red; juicy. Early. A C Gravenstein. Striped red. High flavor. B C
McIntosh Red. Delicious; juicy
WINTER VARIETIES Baldwin. Large; dark redA
Delicious. Red; juicy
Northern Spy. Large; striped red
Red Stayman's Winesap. Extra red Winesap C Rhode Island Greening. Large; greenish yellow B C D
Stayman's Winesap. Medium to large; dark redB Yellow Delicious. Large; yellow
Sizes and prices of the above Apples: Each
A. 2-yr., % to %-in. cal. \$3 00 B. 2-yr., %-in. cal., up. 4 00
C. 6-yr., 1½ to 2-in. cal. 12 50 D. 7-yr., 2 to ½-in. cal. 15 00
Apples, Dwarf Baldwin. 2-yr., %-in. cal. 5 00
McIntosh. 2-yr., %-in. cal. 5 00
Crab-Apples Size
Dolga. Crimson fruit. September.A BHyslop. Crimson fruit. October.A B C D E
Transcendent. Yellow and red. SeptemberA B C D E
Sizes and prices of the above Crab-Apples: Each A. 3-yr., 34 to 1-in. cal
B. 5-yr., 1½ to 2-in. cal
C. 6-yr., 2 to 2½-in. cal
E. 8-yr., 3 to 3½-in. cal
*Apricots
Early Golden. 2-yr., 1/16-in. cal

Fruit Department

*Cherries

Hansen's Improved Bush Cherries.	Sweet; large	black
fruit.	, ,	Each
3 ft		\$1 50
Montmorency. Sour; small red fruit		
11/6-in. cal., 4 to 5 ft. high		350

*Peaches 2-yr., 1/6-in. cal., \$2 each

Belle of Georgia. White. Sept. Carman. White. August. J. H. Hale. Yellow. Sept. Crawford's Late. Yellow. Sept.

Pears, Standard

2-yr., $\frac{7}{16}$ to $\frac{9}{16}$ -in. cal., \$2.50 each

Bartlett. Yellow and red fruit. Early September.
Beurre Bosc. Yellow-russeted. Early November.
Clapp's Favorite. Yellow and crimson. September.
Sheldon. Yellow and red fruit. October.

*Plums 2-yr., $\frac{9}{16}$ to $\frac{11}{16}$ -in. cal., \$3 each

Abundance. Yellow. August. Bradshaw. Purple. September. Burbank. Red. August. Lombard. Purplish red. August. German Prune. Blue. September.

*Quince 2-yr., \$3.50 each

Orange. Ripens early.

*Apricots, Cherries, Peaches, Plums and Quince are guaranteed for first growing season only.

Blackberries

2-yr., transplants, 25 cts. each, \$2.75 per doz. Blowers. Very large. Ripens early.

Boysenberries

2-yr., transplants, 25 cts. each, \$2.75 per doz.

Raspberries

2-yr., transplants, 25 cts. each, \$2.75 per doz.

Cumberland. Blackcap. St. Regis. Everbearing. Red.

Indian Summer. Everbearing. Red. Latham. Red.

Blueberries, Hybrid

Cabot. Early A B Concord. Midseason A B Jersey. Late A	Rancocas. EarlyA Rubel. LateA B
	e Blueberries: Each
A. 3-yr., 1½ to 2 ft. high,	bare root\$1 75
	B&B
For best results, plant at l	east three varieties.
Highbush Blueberries. Vaccina	ium corymbosum.
2 to 3 ft., B&B	
3 to 4 ft., B&B	
Gra	ipes Size
Brighton. Large; red. Septemb	oer A B
Concord. Best black. Septemb	er
Delaware. Small; red. Septem	berA
Niagara. Fine white. Late Sep	otemberA B
Worden. Large; blue. Late Au	gustA
Sizes and prices of the above	e Grapes: Each
	\$0 60
	-grown 1 25

Horticultural Supplies

FERTILIZERS Formula 5-8-7. For trees, shrubs and lawns. Non-acid-producing. \$5 per 100-lb. bag.

Special Formula. For acid-loving plants such as Dogwood, Hemlock, Holly, Laurel, Rhododendrons, etc. \$5.50 per 100-lb. bag.

PEAT MOSS AND HUMUS

Peat Moss and Humus are recommended for mulching and planting broad-leaf evergreens and for general garden

Humus. Prices on application.

Peat Moss. \$5.50 per bale; \$3 per half bale, bagged; \$1.25 per 2-bus. bag.

MANURE

cu. yd.	loads		 ٠	 								,	.\$37	50
cu. yd.														

TOP SOIL

5 cu.	yd. loads	40 00

INDEX

Page	Page
Abelia	Celastrus
Abies	Cephalanthus25
Acer	Cercidiphyllum 3
Actinidia	Cercis 7
Æsculus 7	Chamæcyparis12,13
Akebia37	Chaste Tree33
Alder, Black	Cherries39
Almond, Flowering 30	Cherry, Flowering
Althea27,28	Chionanthus
Amelanchier	Chokeberry25
Ampelopsis	Christmas-Berry30
Andromeda24	Clematis
Apples38	Clethra
Apricots	Cockspur Thorn9
Arborvitæ	Coral-Berry31
Aristolochia37	Cornelian-Cherry26
Aronia	Cornus
Arrow-Wood31	Cotoneaster
Ash, Mountain	Crab-Apple, Flowering 10
Azaleas18,19	Crab-Apples
D 1	Cranberry, Highbush32
Barberry22,25	Cratægus 9
Beauty-berry25	Cryptomeria13
Beauty-Bush29	Cydonia
Beech	Cypress
Benzoin	Deutzia
Berberis22,25	Dogwood
Betula 3	Dutchman's-Pipe37
Bignonia	
Birch	Elm 6
Bittersweet	Enkianthus26
Blackberries	Euonymus
Black-Haw32	Evergreens12–17
Blueberry, Highbush31	Evergreen Shrubs22-24
Boxwood	
Boysenberries39	Fagus4
Bridal Wreath31	Fertilizers40
Buckthorn30	Fir
Buddleia25	Firethorn, Laland24
Burning-Bush26	Forsythia27
Butterfly Bush25	Fringe-Tree
Button-Bush	Fruit Department38,39
Buxus	Golden-Bells27
Duaus	Golden-Chain9
Callicarpa25	Goldenrain-Tree9
Calycanthus	Gordonia9
Caragana	Grapes
Cedar	Gum Tree, Sweet
Ccuai	Juli Tice, Sweet

INDEX, continued

Pa	ge	Page
Halesia	27	Poplar 7
Hamamelis		Populus
Hawthorn	9	Porcelain Vine37
Hedera		Privet29
Hemlock		Prunus
Hibiscus		Pussy Willow
Hills-of-Snow	28	Pyracantha24
Holly22,	23	Quercus 5
Honeysuckle29,		Quince
Horse-Chestnut		Quince, Flowering26
Horticultural Supplies		
Hydrangea28,		Raspberries39
Hypericum		Red-bud
		Retinospora12,13 Rhamnus30
Ilex22,23,		Rhododendron24
Inkberry		Rhodotypos30
Ivy	3/	Rosa31
Jasmine		Rose-of-Sharon27,28
Jasminum	29	Roses31
Jetbead		
Judas Tree		Salix
Juniper	13	Shade Trees2-6
Juniperus		Shrubs, Flowering 25–33
Kalmia	23	Silver-Bell
Katsura Tree	3	Silver Lace-Vine37
Kerria		Snowball
Kœlreuteria	9	Snowbell
Kolkwitzia	29	Snowberry
Laburnum	9	Sorbus 6
Laurel, Mountain	$2\hat{3}$	Sorrel Tree
Leucothoe	23	Spice-bush
Ligustrum	29	Spiræa
Lilacs34-	36	Spruce
Linden	6	Spurge
Liquidambar	4	Stewartia
Lonicera29,	3/	St. Johns-Wort, Golden 28
Lycium	29	Styrax
Magnolia	9	Sweet Bay 9
Malus	10	Sweetleaf
Manure	40	Sweet-Shrub25
Maple	2,3	Symphoricarpos31
Matrimony Vine	29	Symplocos
Mock-Orange29,	30	Syringa34–36
Morus	1 1	Taxus 14,15
Myrtle	37	Thuja
		Tilia
Nanny-Berry	32	Top Soil
Oak	5	Trees, Flowering7-11
Oxydendrum		Trumpet-Creeper37 Tsuga17
Pachysandra	30	Ulmus 6
Peaches	39	Vaccinium31
Peat Moss		Viburnum31–33
Pea-Tree		Vinca
Pepperbush, Sweet		Vines
Periwinkle	37	Virginia-Creeper37
Philadelphus29,		Vitex33
Photinia	30	Weigela33
Picea		Willow
Pieris		Winterberry29
Pine		Winter-Creeper37
Pinus		Wisteria37,38
Platanus		Witch-Hazel
Plum, Flowering		Withe-Rod31
Plums		Woodbine
Polygonum		Yew14,15
		ORINTE,



The 1848-1947
HOYT NURSERIES
NEW CANAAN, CONN.

Telephone: 9-1633